AUTHOR INDEX

Albersheim, P., 219, 245 Altman, E., 89 Angel, A.-S., 15 Annison, G., 89

BAKÓ, P., 143 BEMILLER, J. N., 7 BRIMACOMBE, J. S., c5

ČAPEK, K., C1 CARTIER, N., 275 CHAMBAT, G., 275 CHRISTIAN, R., 211 CLARKE, M. A., 103 CSUK, R., C9

DARVILL, A. G., 219, 245 DAIS, P., 163 DIETRICH, W., 143 DONER, L. W., 33 DUTTON, G. G. S., 89

FALES, H. M., 191 FARKAS, I., 1 FENICHEL, L., 143 FONTANA, J. D., 55 FUNABASHI, M., 47

GAVIN, N., 125 GLÂNZER, B. I., C9 GODSHALL, M. A., 103 GORIN, P. A. J., 55 GOSWAMI, P. K., 156

Hanada, N., 120 Haromy, T. P., 7 Hicks, K. B., 33 Hiler, Jr., G. D., 146 Hizukuri, S., 79 Hogge, L., 55 Horton, D., 295

IACOMINI, M., 55 INOUE, Y., 181

JANSSON, P.-E., 67 JOSELEAU, J.P.., 275 JULIANO, B. O., 79

KABIR, A. K. M. S., c5 KALMAN, A., 1 KENNE, L., 67 KHOWALA, S., 156 KITAHATA, S., 285 KÖLL, P., 115 KOPF, J., 115

LAU, J. M., 219, 245 LEE, E., 125 LINDH, F., 15

MAZUR, A. W., 146 McNeil, M., 219, 245 Meagher, M. M., 129 Mereyala, H. B., 136 Messner, P., 211 Myers, R. W., 7

NAGASAWA, K., 181 NAKAGAWA, T., 47 NARUI, T., 151 NICKOL, R. G., 295 NILSSON, B., 15 NOHLE, U., 199

O'CALLAGHAN, J., 125 Ohno, N., 110 OKADA, S., 285

PADDISON, JR., J. R., 7 PARKÁNYI, L., 1 PARRISH, F. W., 103, 129 PENG, Q.-J., 163 PERLIN, A. S., 163 PITHA, J., 191

REILLY, P. J., 129 ROBERTS, E. J., 103

SAKAKIBARA, T., 47
SCHAUER, R., 199
SCHRÖDER, C., 199
SCHUZ, G., 211
SEDMERA, P., C1
SENGUPTA, S., 156
SHELDRICK, G. M., 115
SHIBATA, S., 151
SHINOHARA, H., 110
SHUKLA, A. K., 199
SLEYTR, U. B., 211
SOMSÁK, L., 1
SONDEY, S. M., 33
SUNDARALINGAM, M., 7
SZABO, L., 191

TAKEHARA, T., 120

TAKAHASHI, K., 151 TAKEDA, Y., 79 TOKE, L., 143 TOTH, G., 143 TSANG, W. S. C., 103

UNGER, F. M., 211

VARELA, O., 295 VYDRA, T., C1 WIDMALM, G., 67

YADOMAE, T., 110 YOSHIMURA, Y., 285

ZANIN, S. M. W., 55

SUBJECT INDEX

- Acetolysis of α -D-glucans in the presence of 1,1,3,3-tetramethylurea, 151
- α-Acetoxy-furanurono-6,3-lactones, deacetylation of, by lipases and lyophilised yeast, c9
- Amylopectins with low and high affinities for iodine, structures of rice, 79
- 3,6-Anhydro-\(\beta\)-1-gulofuranoside, X-ray structure of methyl, 115
- Arabinogalactan from the culture medium of Rubus fruticosus cells in suspension, 275
- Assay of endo-β-D-xylanase activity with a soluble O-(carboxymethyl) derivative of larchwood xylan, 156
- Basidiomycetous lichen Cora paviona, β-D-glucan, heteropolysaccharide, and trehalose from, 55
- Binding positions in oligosaccharides and glycosphingolipids, determination by f.a.b.-m.s. of, 15
- Calcium ion, binding by heparin of, 163
- Carbohydrates, complex, selective degradation of the glycosyluronic acid residues of, by lithium dissolved in ethylenediamine, 219
- CASPER a computerised approach to structure determination of polysaccharides using information from n.m.r. spectroscopy and simple chemical analyses, 67
- Cellobiosides, benzyl, efficient preparation of, using stannic chloride, 146
- Chromatographic procedures for isolating α, β trehalose formed during the preparation of β, β trehalose, 129
- Computerised approach to structure determination of polysaccharides using information from n.m.r. spectroscopy and simple chemical analyses, 67
- Conformation of the (1→3)-β-D-glucan in the sclerotia of Sclerotinia sclerotiorum IFO 9395 assessed by ¹³C c.p.-m.a.s. n.m.r. spectroscopy, 110
- Cora paviona, basidiomycetous lichen, β-D-glucan, heteropolysaccharides, and trehalose from 55
- Counterion-condensation theory, relationship in heparin-calcium binding between ¹³C-n.m.r. data and, 163
- Crystal and molecular structures of 2,3,4,6-tetra-O-acetyl-1-bromo-D-galactopyranosyl cyanide and 2,3,4,5,7-penta-O-acetyl-β-D-galacto-2heptulopyranosononitrile, 1
- Crystal structure of diazomethyl β-D-galactopyranosyl ketone, 7

- Culture medium of Rubus fruticosus cells in suspension, an arabinogalactan from the, 275
- Cyclodextrins, reaction of, with glycidol or propylene oxide, and analysis of product distribution, 191
- Cyclomalto-oligosaccharides, 6-O-α-maltosyl-, formation of, by transfer action of three debranching enzymes, 285
- Deacetylation of α-acetoxy-furanurono-6,3lactones by lipases and lyophilised yeast, c9
- 3-Deoxyaldos-2-ulose bis(thiosemicarbazones), synthesis of, 295
- Determination of binding positions in oligosaccharides and glycosphingolipids by fastatom-bombardment mass spectrometry, 15
- Diacetamidodideoxyuronic acid-containing glycan chain from the S-layer glycoprotein of *Bacillus* stearothermophilus, isolation and structure determination of a, 211
- Diazomethane and water, methylation of methyl a-D-hexopyranosides with, 181
- E. coli K32, capsular polysaccharide, structure, 89 Efficient preparation of benzyl glycosides of lactose and cellobiose using stannic chloride, 146
- Formation of 6-O-a-maltosylcyclomalto-oligosaccharides by transfer action of three debranching enzymes, 285
- D-Galactopyranosyl cyanide, crystal and molecular structures of 2,3,4,6-tetra-O-acetyl-1bromo-, 1
- Glucan in the sclerotia Sclerotinia sclerotiorum IFO 9395, conformation of the (1→3)-β-D-, assessed by ¹³C c.p.-m.a.s. n.m.r. spectroscopy,
- (1→3)-α-D-Glucan synthase from Streptococcus mutans AHT (serotype g), the purification of the, and its inability to synthesise glucan without primer, 120
- α-D-Glucans, acetolysis of, in the presence of 1,1,3,3-tetramethylurea, 151
- Glycoprotein of Bacillus stearothermophilus, isolation and structure determination of a diacetamidodideoxyuronic acid-containing glycan chain from the S-layer, 211
- Heparin, binding of calcium ion by, 163
- 2-Heptulopyranosononitrile, crystal and molecular structures of 2,3,4,5,7-penta-O-acetyl-β-D-galacto, 1

- Hexopyranoside p-tolylsulfonates, n.m.r. studies of some cis- and trans-fused, 125
- α-D-Hexopyranosides, methyl, methylation with diazomethane and water of, 181
- Isolation and structure determination of a diacetamidodideoxyuronic acid-containing glycan chain from the S-layer glycoprotein of Bacillus stearothermophilus, 211
- Ketone, diazomethyl β -D-galactopyranosyl, the crystal structure of, 7
- Lactosides, benzyl, efficient preparation of, using stannic chloride, 146
- Lichen, basidiomycetous, Cora paviona, β-D-glucan, heteropolysaccharide, and trehalose from, 55
- Lipases and lyophilised yeast, deacetylation of αacetoxy-furanurono-6,3-lactones by, c9
- Liquid chromatography, preparative, of carbohydrates, 33
- Methanolysis of polysaccharides: a new method, 103
- Methyl 2,3-anhydro-4,6-O-benzylidene-α-D-allopyranoside, reaction of ethanolamine and 1,4,7,10-tetraoxa-13-azacyclopentadecane with, 143
- Methyl 3,6-anhydro-β-L-gulofuranoside, X-ray structure of, 115
- Methylation of methyl α-D-hexopyranosides with diazomethane and water, 181
- Neuraminic acids, N-acetyl and N-glycoloyl, Oacetylated, 2,3-unsaturated, occurrence and preparation of, 199
- N.m.r. studies of some cis- and trans-fused hexopyranoside p-tolylsulfonates, 125
- Octitols from D-glucose and D-mannose derivatives via osmylation, the synthesis of new, Cl
- Oligosaccharides and glycosphingolipids, determination by f.a.b.-m.s. of binding positions in, 15 One-step method for the preparation of 2-pyridyl
- One-step method for the preparation of 2-pyridyl 2-deoxy-1-thiohexopyranosides from glycal esters, 136
- Osmylation, the synthesis of new octitols from Dglucose and D-mannose derivatives via, C1
- Oxirane-oxetane-1,4-dioxane anhydro-ring migration in sucrose derivatives, c5
- Polysaccharides, a computerised approach to structure determination of, using information from n.m.r. spectroscopy and simple chemical analyses, 67

- Polysaccharides, a new method for methanolysis of, 103
- Polysaccharide of E. coli K32, capsular, structure, 89
- Preparation and structural determination of methyl 4,6-O-benzylidene-2,3-dideoxy-β-D-erythro-hexopyranosido[2,3-d]triazole and of its adducts with 3-nitrohex-2-enopyranosides, 47
- Preparation of 2-pyridyl 2-deoxy-1thiohexopyranosides from glycal esters, a onestep method for the, 136
- Preparative liquid chromatography of carbohydrates: mono- and di-saccharides, uronic acids and related derivatives, 33
- 2-Pyridyl 2-deoxy-1-thiohexopyranosides from glycal esters, a one-step method for the preparation of, 136
- Reaction of cyclodextrins with propylene oxide or with glycidol: analysis of product distribution, 191
- Reaction of methyl 2,3-anhydro-4,6-O-benzylidene- α-D-allopyranoside with ethanolamine and 1,4,7,10-tetraoxa-13-azacyclopentadecane, 143
- Rhamnogalacturonan I, treatment of, with lithium in ethylenediamine, 245
- Rice amylopectins with low and high affinities for iodine, structures of, 79
- Ring migration in sucrose derivatives, oxiraneoxetane-1,4-dioxane anhydro, c5
- Rubus fruticosus cells in suspension, an arabinogalactan from the culture medium of, 275
- Saccharides, mono- and di-, preparative liquid chromatography of, 33
- Sclerotinia sclerotiorum IFO 9395, conformation of the (1--3)-β-D-glucan in the sclerotia of, assessed by ¹³C c.p.-m.a.s. n.m.r. spectroscopy, 110
- Selective degradation of the glycosyluronic acid residues of complex carbohydrates by lithium dissolved in ethylenediamine, 219
- Sialic acids, O-acylated, 2,3-unsaturated, occurrence and preparation of, 199
- Starch: properties and potential (book review), C1 Streptococcus mutans AHT (serotype g), purification of the (1→3)-α-D-glucan synthase from, and its inability to synthesise glucan without primer. 120
- Structure of the capsular polysaccharide of Escherichia coli O9:K32(A):H19, 89
- Structures of rice amylopectins with low and high affinities for iodine, 79

- Sucrose derivatives, oxirane-oxetane-1,4-dioxane anhydro-ring migration in, c5
- Synthase from Streptococcus mutans AHT (serotype g), purification of the (1→3)-α-D-glucan, and its inability to synthesise glucan without primer, 120
- Synthesis of new octitols from D-glucose and Dmannose derivatives via osmylation, C1
- 1,4,7,10-Tetraoxa-13-azacyclopentadecane and ethanolamine, reaction of methyl 2,3-anhydro-4,6-O-benzylidene-α-D-allopyranoside with, 143
- Thiosemicarbazones, bis, of 3-deoxy-2-uloses, synthesis of, 295
- Treatment of Rhamnogalacturonan I with lithium in ethylenediamine, 245
- α,β-Trehalose, formed during the preparation of β,β-trehalose, chromatographic procedures for isolating, 129

- Triazole, methyl 4,6-O-benzylidene-2,3-dideoxyβ-D-erythro-hexopyranosido[2,3-d]-, and its adducts with 3-nitrohex-2-enopyranosides, preparation and structural determination of, 47
- 2-Ulose, 3-deoxyaldos-, bis(thiosemicarbazones), synthesis of, 295
- 2,3-Unsaturated sialic acids, O-acetylated, occurrence and preparation of, 199
- Urea, 1,1,3,3-tetramethyl-, use of, in the acetolysis of α -D-glucans, 151
- Uronic acids, preparative liquid chromatography of, 33
- X-Ray structure of methyl 3,6-anhydro-β-Lgulofuranoside, 115
- Xylan, larch-wood, a soluble O-(carboxymethyl) derivative of, for assay of endo-β-D-xylanase activity, 156